

Supplier of posts to the Rugby World Cup and all UK national stadiums.


rugby



harrod.uk.com



Millennium Rugby Posts at Twickenham with crossbar detail (inset)



Millennium Rugby Posts

Suppliers to the UK's national stadiums including Twickenham, Millennium, Wembley and Murrayfield and the AVIVA stadium in Dublin.

As used at the 2011 World Cup (New Zealand) and 2013 Rugby 7's World Cup (Russia).

Millennium Post Protectors

Flame retardant reinforced polyester PVC cover filled with 75mm thick high density foam. Covers are double stitched for strength with integral velcro fastening edges. Most other colours available on request.

1.8m high x 450mm wide face



FEATURES

- International specification design
- Complete with internal fitting hinged adaptors and high tensile stainless steel bolts which make erection of the posts safer
- Supplied complete with the hinged post assembly roller (see page 114 for details).

SPECIFICATION

- Made from heavy duty aluminium
- Bottom upright 7.3m long x 140mm diameter
- Middle upright 7.3m long x 130mm diameter
- Top upright 4.16m long x 120mm diameter (17m posts only)
- Crossbar 5.6m long, 88.9mm dia. x 3.25mm thick
- Sockets made from 146mm diameter x 6.5mm thick galvanised steel
- Pennant fixing on top uprights
- Heights quoted are out of ground height
- Polyester powder coated white.



SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 1.5m deep sockets
- 4 x Drop in socket lids
- 1 x Rugby Roller

RUG-020 17m hinged millennium
Three Piece uprights

RUG-021 13.5m hinged millennium
Two piece upright
Bottom & Middle sections only

Weight	RUG-020 - 703kg per set
	RUG-021 - 664kg per set

Options, Extras & Spares

Millennium post protectors

RUG-050 Single Colour protectors

RUG-060 Multi coloured protectors

Aluminium Rugby Posts

These posts are lightweight and easier to handle, with uprights supplied in sections for ease of transportation and storage.

FEATURES

- Hinged adaptors with high tensile bolts make erection of posts easier and safer
- Socketed option designed so that posts drop directly into the sockets
- Manufactured from aluminium tube making the post lightweight and very durable.

SPECIFICATION

- Bottom uprights 7m long, 76mm diameter x 5mm thick
- Top uprights 7m long, 63.5mm diameter x 3mm thick (13m & 12m)
- Top uprights 5m long, 63.5mm diameter x 3mm thick (11m & 10m)
- Crossbar 5.6m long, 50mm diameter x 3mm thick
- 1m deep sockets with 80mm inside diameter complete with base plates
- Heights quoted are out of ground height
- Polyester powder coated white.



SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 1m deep sockets
- 4 x hinged adaptors (13m/11m/7m only)

RUG-210 13m hinged rugby
Two piece uprights

RUG-211 11m hinged rugby
Two piece uprights

RUG-212 7m hinged rugby
One piece upright

Weight RUG-210 - 250kg per set
RUG-211 - 220kg per set
RUG-212 - 203kg per set

RUG-201 12m socketed rugby
Two piece uprights


RUG-200 11m socketed rugby
Two piece uprights

RUG-199 6m socketed rugby
One piece upright

Weight RUG-201 - 163kg per set
RUG-200 - 133kg per set
RUG-199 - 116kg per set

Options, Extras & Spares

- RUG-002 Rugby roller**
- RUG-026 Steel drop in lids**
- LID-002 Plastic socket lid**
- RUG-037 305mm sq. protectors**
- RUG-038 355mm sq. protectors**
- RUG-052 Aluminium hinged adaptor**



5m Aluminium Mini Rugby Posts

FEATURES

- Very lightweight and easy to handle, designed for junior games.

SPECIFICATION

- Made from aluminium tube
- Uprights 5.6m long, 63mm dia. x 3mm thick
- Crossbar 4.5m long, 50mm dia. x 3mm thick
- 600mm deep sockets with 70mm inside diameter complete with base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 600mm deep sockets

RUG-213 5m mini rugby
One piece upright

Options, Extras & Spares

RUG-036 254mm sq. protectors

Weight RUG-213 - 50kg per set

No.1 Rugby

Ideal for clubs and senior schools, available as a hinged or socketed option.

FEATURES

- Hinged adaptors with high tensile bolts make erection of posts easier and safer
- Socketed option designed so that posts drop directly into the sockets.

SPECIFICATION

- Manufactured from 3mm thick steel tube
- Bottom uprights 7.3m long x 89mm diameter
- Top uprights 6.5m long x 76mm diameter (13m & 12m only)
- Top uprights 5m long x 76mm diameter (11m & 10 only)
- Crossbar 5.6m long x 76mm diameter
- 1200mm deep sockets with 91mm inside diameter complete with stabilising fins and base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 1200mm deep sockets
- 4 x Hinged Adaptors (13m & 11m only)

RUG-018 13m hinged rugby
Two piece uprights

RUG-019 11m hinged rugby
Two piece uprights

RUG-005 12m socketed rugby
Two piece uprights

RUG-006 10m socketed rugby
Two piece uprights

Weight

RUG-018 - 594kg per set
RUG-019 - 550kg per set
RUG-005 - 470kg per set
RUG-006 - 426kg per set

Options, Extras & Spares

- RUG-002 Rugby roller**
- RUG-025 Steel drop in lids**
- RUG-037 305mm sq. protectors**
- RUG-038 355mm sq. protectors**
- RUG-051 No1 hinged adaptor**



No.2 Steel Rugby

Ideal posts for schools, available as a hinged or socketed option.

FEATURES

- Hinged adaptors with high tensile bolts make erection of posts easier and safer
- Socketed option designed so that posts drop directly into the sockets.

SPECIFICATION

- Manufactured from 2mm thick steel tube
- Bottom uprights 6m long x 70mm diameter
- Top uprights 5m long x 63.5mm diameter
- Crossbar 5.6m long x 63.5mm diameter
- 917mm deep sockets with 73mm inside diameter complete with stabilising fins and base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 917mm deep sockets
- 4 x Hinged Adaptors (10m only)

RUG-011 10m hinged rugby
Two piece uprights

RUG-007 9m socketed rugby
Two piece uprights

Weight

RUG-011 - 240kg per set
RUG-007 - 193kg per set

Options, Extras & Spares

- RUG-002 Rugby roller**
- RUG-026 Steel drop in lids**
- LID-005 Plastic socket lid**
- RUG-037 305mm sq. protectors**
- RUG-053 No2a hinged adaptor**



No.3 Steel Rugby

Ideal for clubs and senior schools, available as a hinged or socketed option.

FEATURES

- Hinged adaptors with high tensile bolts make erection of posts easier and safer
- Socketed option designed so that posts drop directly into the sockets.

SPECIFICATION

- Manufactured from 2mm thick steel tube
- Uprights 7m long x 63.5mm diameter
- Crossbar 5.6m long x 63.5mm diameter
- 910mm deep sockets with 73mm inside diameter complete with stabilising fins and base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 910mm deep sockets
- 4 x Hinged Adaptors (7m only)

RUG-009 7m hinged rugby
One piece upright

RUG-008 6m socketed rugby
One piece upright

Weight RUG-009 - 203kg per set
RUG-008 - 169kg per set

Options, Extras & Spares

- RUG-002 Rugby roller**
- RUG-027 Steel drop in lids**
- LID-003 Plastic socket lid**
- RUG-036 254mm sq. protectors**
- RUG-054 No3 hinged adaptor**



Heavy Duty Steel Rugby

Extra heavy duty material and suitable for areas that have heavy usage, available as a hinged or socketed option.

FEATURES

- Hinged adaptors with high tensile bolts make erection of posts easier and safer
- Socketed option designed so that posts drop directly into the sockets.

SPECIFICATION

- Manufactured from 3mm thick steel tube
- Uprights 7m long x 76mm diameter
- Crossbar 5.6m long x 76mm diameter
- 918mm deep sockets with 91mm inside diameter complete with stabilising fins and base plates
- Heights quoted are out of ground height
- Polyester powder coated white.

SET CONSISTS OF

- 1 Set = 2 Goals
- 4 x 910mm deep sockets
- 4 x Hinged Adaptors (7m only)

RUG-046 7m Hinged Rugby
One Piece upright

RUG-045 6m Socketed Rugby
One Piece upright

Weight RUG-046 - 345kg per set
RUG-045 - 256kg per set

Options, Extras & Spares

- RUG-002 Rugby roller**
- RUG-026 Steel drop in lids**
- LID-002 Plastic socket lid**
- RUG-036 254mm sq. protectors**
- RUG-055 H/duty hinged adaptor**





1.8m high posts protectors available in three face sizes.

Post Protectors

Club Rugby Post Protectors

- Flame retardant reinforced polyester PVC cover filled with 75mm thick high density foam.
- Covers are double stitched for strength with integral velcro fastening edges.
- To fit posts with a maximum 100mm diameter.
- Sets of 4.

Red Club Protectors

RUG-036 1.8m H x 254mm W face

RUG-037 1.8m H x 305mm W face

RUG-038 1.8m H x 355mm W face

Single Colour Club Protectors

RUG-039 1.8m H x 254mm W face

RUG-040 1.8m H x 305mm W face

RUG-041 1.8m H x 355mm W face

Multi Coloured Club Protectors

- Specification as per club pads, but available with up to 4 panels in a combination of the following colours: Royal Blue, Navy, White, Black, Red, Yellow & Green. Sets of 4.

RUG-042 1.8m H x 254mm W face

RUG-043 1.8m H x 305mm W face

RUG-044 1.8m H x 355mm W face

Millennium Post Protectors

- Flame retardant reinforced polyester
- PVC cover filled with 75mm thick high density foam.
- Covers are double stitched for strength with integral velcro fastening edges. Other colours available on request.
- 1.8m high x 450mm wide face.

RUG-050 Single colour Set of 4

RUG-060 Multi coloured Set of 4

Post Protectors can be made to suit your specific requirements. Pads can be screen printed with sponsor's or club name - contact sales office for a quotation.



© COPYRIGHT 2008 THIS PRODUCT IS PROTECTED BY DESIGN RIGHT

"A brilliant device for groundsmen; a simple but effective aid that makes a difficult and awkward job a whole lot safer and easier."

Keith Kent, Grounds Manager
Twickenham Stadium



Hinged Post Assembly Roller

Hinged Post Assembly Roller

The Hinged Post Assembly Roller allows users to safely erect and dismantle a set of hinged posts in a controlled manner.

Designed to be mounted onto an appropriate tractor roll bar using two heavy duty 'U' bolt brackets. The upright rolls along the device allowing easy installation and dismantling in a controlled manner before being lifted off by a suitable number of persons (the tractor must ideally be fitted with an angled or adjustable roll bar, brackets will fit up to a 76mm square bar).

SPECIFICATION

- A minimum of two people should always oversee the safe erection or dismantling of the rugby posts
- Never allow the tractor's speed to exceed walking pace; we recommend that the tractor moves no faster than 3mph
- The hinged post assembly roller is manufactured from zinc plated steel
- Fitted with a rubber roller, a quick release webbed safety strap and two 'U' bolt brackets
- The device is designed for use with hinged uprights only, we do not recommend the use of the hinged post assembly roller on socketed uprights.

RUG-002 5kg each

Rounders Poles and Bases

- 180mm diameter moulded rubber base
- Complete with 1.2m long x 22mm diameter white PVC poles

RND-002 Set of 4 poles and bases

RND-003 Spare rounders pole

RND-004 Spare rubber base

